

SDS No.: ASM TSDS 006 v2.1 EN Page 1 of 9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing Date: EN – 26.01.2023 Revision / Date: v2.1 – 26.01.2023

SECTION 1:

Identification of the Substance / Mixture and of the Company / Undertaking

1.1 Product identifier

Trade name: DEK PRO XF Product Specification Number + Product Code:

Refers to DEK Brand Consumables:

UFI: A800-U0RP-S00J-1C50

Part No.: 431513 / 03130225-01 (1 Litre)

Part No.: 431514 / 03126194-01 (5 Litres)

Safety Data Sheet Number: ASM TSDS 006 v2.1 EN

1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

Application of the substance / the mixture: Cleaning Agent / Cleaner

Uses advised against: None

1.3 Details of the supplier of the Safety Data Sheet Manufacturer / Supplier:

ASMPT GmbH & Co. KG Rupert-Mayer-Strasse 48 81379 Munich, Germany

Web: https://psp.smt.asmpt.com/en/ Mail: gsc.printing@asm-smt.com

Informing department: Phone: +44 1305 208661

1.4 Emergency telephone number:

Phone: +49 (0) 841 63523

Bürozeiten / Office hours: 09:00-15:00 CET Monday to Friday

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to the CLP regulations.

SDS No.: ASM TSDS 006 v2.1 EN Page 2 of 9

Safety data sheet according to 1907/2006/EC, Article 31

Printing Date: EN – 26.01.2023 Revision / Date: v2.1 - 26.01.2023

Trade name: DEK Pro XF

(Continued from Page 1)

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Void.

Hazard pictograms

Void.

Signal word:

Void.

Hazard statements

Void.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.*vPvB*: Not applicable

SECTION 3: Composition / Information of Ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of the substances with non-hazardous additions.

Dangerous components: Void

SVHC: None

Additional information: For the wording of the listed hazard phrases refer to Section 16.

SDS No.: ASM TSDS 006 v2.1 EN Page 3 of 9

Safety data sheet according to 1907/2006/EC, Article 31

Printing Date: EN – 26.01.2023 Revision / Date: v2.1 - 26.01.2023

Trade name: DEK Pro XF

(Continued from Page 2)

SECTION 4: First Aid Measures

4.1 Description of first aid measures

General information:

Take affected persons out into the fresh air.

After inhalation: Supplyfresh air; consult doctor in case of complaints.

After skin contact:

Immediately remove any clothing soiled by the product.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

After swallowing:

If swallowed, rinse out mouth and then drink plenty of water. If symptoms persist, consult doctor.

4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information

4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting Measures

5.1 Extinguishing media

Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: None.

5.2 Special hazards arising from the substance or mixture:

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Not required.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Printing Date: EN – 26.01.2023 Revision / Date: v2.1 - 26.01.2023

Trade name: DEK Pro XF

(Continued from Page 3)

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

The usual precautionary measures are to be adhered to when handling chemicals

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well-sealed receptacles.

Provide floor trough without outlet.

Information about storage in one common storage facility:

Not required.

Further information about storage conditions:

Protect from frost.

7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure Controls / Personal Protection

Additional information about design of technical facilities: No further data; see Section 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

34590-94-8	Dipropylene glycol monomethyl ether			
WEL Long-term value: 308 mg/ m ³ , 50 ppm				
Sk				
DNELs				
34590-94-8 Dipropylene glycol monomethyl ether				
Dermal	DNEL system. effects (long-term)	283 mg/kg KG/Tag (Worker)		
Inhalative	DNEL system. effects (long-term)	308 mg/m³ (Worker)		
PNECs				
34590-94-8 Dipropylene glycol monomethyl ether				
PNEC (Meerwasser)		1.9 mg/l		
PNEC (freshwater)		19 mg/l		

Additional information: The lists valid during the making were used as a basis.

Printing Date: EN – 26.01.2023 Revision / Date: v2.1 - 26.01.2023

Trade name: DEK Pro XF

SDS No.: ASM TSDS 006 v2.1 EN

(Continued from Page 4)

8.2 Exposure controls

Appropriate engineering controls: No further data; see SECTION 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Ensure good ventilation/exhaustion at the workplace.

Respiratory protection: Not necessary if room is well-ventilated.

Hands Protection:
Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time is determined by the manufacture of the protective gloves and must be observed. *Eye/face protection:* Safety glasses.

SECTION 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

General Information				
Physical state:	Fluid			
Colour:	Colourless Clear			
Odour:	Characteristic			
Odour threshold:	Not determined			
Melting point/freezing point:	- 3 °C			
Boling point or initial boiling point and boiling range	80 - 190 °C			
Flammability:	Not applicable			
Lower and upper explosion limit				
Lower:	None			
Upper:	None			
Flash point:	None			
Auto-ignition temperature	Product is not self-igniting.			
Decomposition temperature	Not determined			
рН	Neutral			
Viscosity				
Kinematic viscosity	Not determined			
Dynamic	Not determined			
Solubility				
water:	Fully miscible			
Partition coefficient n-octanol/water (log value):	Not determined			
Vapour pressure:	Not determined			
Density and/or relative density				
Density at 20 °C:	1.00 +/- 0.02 g/cm³ (DIN 51757)			
Relative density:	Not determined			
Vapour density:	Not determined			

(Continued on Page 6)

Printing Date: EN – 26.01.2023 Revision / Date: v2.1 - 26.01.2023

Trade name: DEK Pro XF

(Continued from Page 5)

9.2 Other information

Appearance:				
Form:	Fluid			
Important information on protection of health and environment, and on safety				
Explosive properties:	Product does not present an explosion hazard.			
Change in condition				
Evaporation rate:	Not determined,			
Information with regard to physical hazard classes				
Explosives	Void			
Flammable gases	Void			
Aerosols	Void			
Oxidising gases	Void			
Gases under pressure	Void			
Flammable liquids	Void			
Flammable solids:	Void			
Self-reactive substances and mixtures:	Void			
Pyrophoric liquids:	Void			
Pyrophoric solids:	Void			
Self -heating substances and mixtures	Void			
Substances and mixtures, which emit flammable gases in contact with water.	Void			
Oxidising liquids:	Void			
Oxidising solids:	Void			
Organic peroxides:	Void			
Corrosive to metals:	Void			
Desensitised explosives:	Void			

SDS No.: ASM TSDS 006 v2.1 EN Page 7 of 9

Safety data sheet according to 1907/2006/EC, Article 31

Printing Date: EN – 26.01.2023 Revision / Date: v2.1 - 26.01.2023

Trade name: DEK Pro XF

(Continued from Page 6)

SECTION 10: Stability and Reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- 10.4 Conditions to avoid: No further relevant information available.
- 10.5 Incompatible materials: Store away from oxidising agents.
- 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological Information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification: Not determined.

Skin corrosion/irritation:

Repeated exposure may cause skin dryness or cracking. No irritating effect.

11.2 Information on hazard classes Endocrine disrupting properties:

None of the ingredients is listed.

Printing Date: EN – 26.01.2023 Revision / Date: v2.1 - 26.01.2023

Trade name: DEK Pro XF

(Continued from Page 7)

SECTION 12: Ecological Information

12.1 Toxicity: No further relevant information available.

12.2 Persistence and degradability: No further relevant information available.

12.3 Bio-accumulative potential: No further relevant information available.

12.4 Mobility in soil: No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Endocrine disrupting properties:

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal Considerations

13.1 Waste treatment methods

Recommendation: Disposal must be made according to official regulations.

Uncleaned packaging(s):

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary, together with cleansing agents.

SECTION 14: Transport Information

14.1 UN number of ID number	
ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name	
ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	None.
Marine pollutant:	No
14.6 Special precautions for user:	None
14.7 Maritime transport in bulk according to IMO instruments:	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SDS No.: ASM TSDS 006 v2.1 EN Page 9 of 9

Safety data sheet according to 1907/2006/EC, Article 31

Printing Date: EN – 26.01.2023 Revision / Date: v2.1 - 26.01.2023

Trade name: DEK Pro XF

(Continued from Page 8)

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

Directive 2012 / 18 / EU

Named dangerous substances - ANNEX I: None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and Acronyms:

ADR: Accord européen sur le transport des marchandises Dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

EC50: Lethal concentration (acute toxicity), 50 percent maximal

EC50: Effective concentration (harmful effects), 50 percent maximal

PBT: Persistent, Bio-accumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bio-accumulative

WEL: Workplace Exposure Limits -based on data as defined within Great Britain (GB) only

Revision History:

- v 1.0 Converted to SDS template March 2018
- v 2.0 Updated to new SDS template July 2022
- v 2.1 Updated company name Section 1.3 Jan 2023

Updated company branding - Jan 2023