

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing Date: EN - 01.01.2022

Revision / Date: v2.1 - 01.01.2022

**SECTION 1:**

**Identification of the Substance / Mixture and of the Company / Undertaking**

**1.1 Product identifier**

**Trade name:** Adhesive Remover (DEK Brand)

**Product Specification Number + Product Code:**

Refers to DEK Brand Consumables:

Part No.: 115808 / 03126751 (Tub - 100x Wipes)

Part No.: 173279 / 03128535 (Pack - 100x Wipes)

**Safety Data Sheet Number:** **ASM TSDS 003 v2.1 EN**

**1.2 Relevant identified uses of the substance or mixture and uses advised against:**

No further relevant information available.

**Application of the substance / the mixture:** Cleaning Agent / Cleaner

**1.3 Details of the supplier of the Safety Data Sheet Manufacturer / Supplier:**

ASM Assembly Systems GmbH & Co. KG

Rupert-Mayer-Strasse 44

81379 Munich, Germany

Web: ASM Process Support Products <https://www.asm-psp.com/en/>

Mail: [gsc.printing@asm-smt.com](mailto:gsc.printing@asm-smt.com)

**Informing department:**

Phone: +44 (0) 1305 208661

**1.4 Emergency telephone number:**

Phone: +49 (0) 841 63523

Bürozeiten / Office hours: 09:00-15:00 CET Monday to Friday

**SECTION 2: Hazards Identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**



GHS02 Flame

Flam. Sol. 1

H228 Flammable solid.



GHS07

Eye Irrit. 2

H319 Causes serious eye irritation.

STOT SE 3

H336 May cause drowsiness or dizziness

(Continued on Page 2)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing Date: EN - 01.01.2022

Revision: v2.1 - 01.01.2022

**Trade name:** Adhesive Remover (DEK Brand)

(Continued from Page 1)

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulations.

**Hazard pictograms**

GHS02



GHS07

**Signal word:** Danger**Hazard-determining components of labelling:**

1-ethoxypropan-2-ol

1-methoxypropan-2-ol

**Hazard statements**

H228 Flammable solid.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

**Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing vapours.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable**SECTION 3: Composition / Information of Ingredients****3.2 Chemical characterisation:** Mixtures**Description:** Impregnated Cleaning Wipes.

<b>Dangerous components:</b>				
CAS: 1569-02-4 EINECS: 216-374-5 Reg.nr.: 01-2119462792-32-X			<b>1-ethoxypropan-2-ol</b> Flam. Liq. 3, H226, Acute Tox. 4, H302; STOT SE 3, H336	2.5-10%
CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35-X			<b>1-methoxypropan-2-ol</b> Flam. Liq. 3, H226; STOT SE 3, H336	2.5-10%

**Additional information:** For the wording of the listed hazard phrases refer to Section 16.

(Continued on Page 3)

## **Safety data sheet**

**according to 1907/2006/EC, Article 31**

Printing Date: EN - 01.01.2022

Revision: v2.1 - 01.01.2022

**Trade name:** **Adhesive Remover (DEK Brand)**

(Continued from Page 2)

### **SECTION 4: First Aid Measures**

#### **4.1 Description of first aid measures**

**After inhalation:** Supply fresh air; consult doctor in case of symptoms.**After skin contact:** Instantly wash with water and soap and rinse thoroughly.**After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

**After swallowing:** In case of persistent symptoms consult doctor.

#### **4.2 Most important symptoms and effects, both acute and delayed:**

No further relevant information

#### **4.3 Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

### **SECTION 5: Firefighting Measures**

#### **5.1 Extinguishing media**

**Suitable extinguishing agents:**

Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam.

**For safety reasons unsuitable extinguishing agents:** Water with a full water jet.

#### **5.2 Special hazards arising from the substance or mixture:**

Can be released in case of fire: Carbon monoxide (CO)

#### **5.3 Advice for firefighters**

**Protective equipment:** Wear breathing protection if necessary.**Additional information:** Use water to keep fire exposed containers cool.

### **SECTION 6: Accidental Release Measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Keep away from ignition sources

Use breathing protection against the effects of fumes / dust / aerosol.

Wear protective equipment. Keep unprotected persons away.

**6.2 Environmental precautions:** Do not allow to enter drainage system, surface or ground water.

#### **6.3 Methods and material for containment and cleaning up:**

Dilution with water is possible.

Ensure adequate ventilation.

#### **6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

(Continued on Page 4)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing Date: EN - 01.01.2022

Revision: v2.1 - 01.01.2022

**Trade name:** Adhesive Remover (DEK Brand)

(Continued from Page 3)

### SECTION 7: Handling and Storage

#### 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Avoid the formation of inflammable and explosive solvent vapours in the air and prevent the maximum workplace concentration values from being exceeded.

#### Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Storage

##### Requirements to be met by storerooms and containers:

Observe special regulations specified in Section 15.

Store in cool location.

##### Information about storage in one common storage facility:

Keep away from strong oxidizing, alkalis and acidic materials.

##### Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

#### 7.3 Specific end use(s):

 No further relevant information available.

### SECTION 8: Exposure Controls / Personal Protection

#### 8.1 Control parameters

<b>Components with limit values that require monitoring at the workplace:</b>	
<b>107-98-2 1-methoxypropan-2-ol</b>	
WEL (Great Britain)	Short-term value: 560 mg/m <sup>3</sup> , 150 ppm Long-term value: 375 mg/m <sup>3</sup> , 100 ppm Skin
IOELV (European Union)	Short-term value: 568 mg/m <sup>3</sup> , 150 ppm Long-term value: 375 mg/m <sup>3</sup> , 100 ppm Skin

**Additional information:** The lists valid during the compilation were used as a basis.

#### 8.2 Exposure controls

##### Personal protective equipment:

##### General protective and hygienic measures:

Keep away from foodstuffs, beverages and food.

Take off all contaminated clothing immediately.

Wash hands during breaks and at the end of work.

##### Breathing equipment:

 Not necessary if room is well-ventilated.

##### Protection of hands:

In case of longer or repeated contact with the skin: use protective cream for the skin surfaces coming into contact with the product.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Continued on Page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing Date: EN - 01.01.2022

Revision: v2.1 - 01.01.2022

**Trade name:** Adhesive Remover (DEK Brand)

(Continued from Page 4)

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time is determined by the manufacture of the protective gloves and observation.

Butyl rubber, BR

Nitrile rubber, NBR

Chloroprene rubber, CR

**Eye protection:** Safety glasses recommended if possibility of liquid splashes exists.**Body protection:** Protective work clothing.**SECTION 9: Physical and Chemical Properties****9.1 Information on basic physical and chemical properties**

<b>General Information</b>	
<b>Appearance:</b> <b>Form:</b> <b>Colour:</b> <b>Odour:</b>	Solid White Alcohol-like
<b>Change in condition</b> <b>Melting point/freezing point:</b> <b>Initial boiling point and boiling range:</b>	Not determined Not determined
<b>Flash point:</b>	42 °C
<b>Inflammability (solid, gaseous):</b>	Flammable
<b>Self-inflammability:</b>	Product is not self-igniting.
<b>Explosive properties:</b>	Product is not explosive. However, formation of explosive air / steam mixtures is possible.
<b>Critical values for explosion:</b> <b>Lower:</b> <b>Upper:</b>	1.3 Vol % 12.0 Vol %
<b>Vapour pressure at 20 °C:</b>	10 hPa
<b>Density</b>	Not determined
<b>Solubility in / Miscibility with Water:</b>	Partly soluble
<b>9.2 Other information</b>	No further relevant information available.

(Continued on Page 6)

## **Safety data sheet**

**according to 1907/2006/EC, Article 31**

Printing Date: EN - 01.01.2022

Revision: v2.1 - 01.01.2022

**Trade name:** **Adhesive Remover (DEK Brand)**

(Continued from Page 5)

### **SECTION 10: Stability and Reactivity**

**10.1 Reactivity** No further relevant information available.**10.2 Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions:** No dangerous reactions known.**10.4 Conditions to avoid:** No further relevant information available.**10.5 Incompatible materials:** No further relevant information available.**10.6 Hazardous decomposition products:**

None in case of intended use and storage in compliance with instructions.

### **SECTION 11: Toxicological Information**

**11.1 Information on toxicological effects****Acute toxicity:** Based on available data, the classification criteria are not met.**Primary irritant effect:****Skin corrosion/irritation:** Based on available data, the classification criteria are not met.**Serious eye damage/irritation:** Causes serious eye irritation.**Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.**Additional toxicological information:** When inhaling high concentrations narcotic symptoms are possible.**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)****Germ cell mutagenicity:** Based on available data, the classification criteria are not met.**Carcinogenicity:** Based on available data, the classification criteria are not met.**Reproductive toxicity:** Based on available data, the classification criteria are not met.**STOT-single exposure:** May cause drowsiness or dizziness.**STOT-repeated exposure:** Based on available data, the classification criteria are not met.**Aspiration hazard:** Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological Information**

**12.1 Toxicity****Aquatic toxicity:** No further relevant information available.**12.2 Persistence and degradability:** No further relevant information available.**Other information:** Not established.**12.3 Bio-accumulative potential:** No further relevant information available.**12.4 Mobility in soil:** No further relevant information available.**Additional ecological information:****General notes:**

Water hazard class 1 (German Regulation - DE) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.

(Continued on Page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing Date: EN - 01.01.2022

Revision: v2.1 - 01.01.2022

Trade name: **Adhesive Remover (DEK Brand)****SECTION 13: Disposal Considerations****13.1 Waste treatment methods****Recommendation**

The waste code numbers mentioned are recommendations based on the probable use of the product.



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

<b>European waste catalogue</b>	
15 00 00	WASTE PACKAGING: ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 02 00	absorbents, filter materials, wiping cloths and protective clothing
15 02 02*	absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by hazardous substances

**Uncleaned packaging(s):****Recommendation:**

Dispose of packaging according to regulations on the disposal of packaging(s).

**Recommended cleaning agent:** Water, if necessary, with cleaning agent.**SECTION 14: Transport Information**

<b>14.1 UN-Number ADR, IMDG, IATA</b>	UN3175
<b>14.2 UN proper shipping name</b>	
<b>ADR</b>	3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (1-METHOXY-2-PROPANOL)
<b>IMDG, IATA</b>	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (1-METHOXY-2-PROPANOL)
<b>14.3 Transport hazard class(es)</b>	
<b>ADR</b>	
	
<b>Class</b>	4.1 (F1) Flammable solids, self-reactive substances and solid desensitised explosives
<b>Label</b>	4.1
<b>IMDG, IATA</b>	
	
<b>Class</b>	4.1 Flammable solids, self-reactive substances and solid desensitised explosives.
<b>Label</b>	4.1

(Continued on Page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing Date: EN - 01.01.2022

Revision: v2.1 - 01.01.2022

**Trade name:** Adhesive Remover (DEK Brand)

(Continued from Page 7)

<b>14.4 Packing group</b> <b>ADR, IMDG, IATA</b>	II
<b>14.5 Environmental hazards:</b> <b>Marine pollutant:</b>	Not applicable. No
<b>14.6 Special precautions for user:</b>	Warning: Flammable solids, self-reactive substances and solid desensitised explosives.
<b>Kemler Number:</b>	40
<b>EMS Number:</b>	F-A, S-I
<b>Stowage Category:</b>	B
<b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</b>	Not applicable.
<b>Transport/Additional information:</b>	
<b>ADR</b>	
<b>Limited quantities (LQ):</b>	1 kg
<b>Excepted quantities (EQ):</b>	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
<b>Transport category</b>	2
<b>Tunnel restriction code</b>	E
<b>IMDG</b>	
<b>Limited quantities (LQ):</b>	1 kg
<b>Excepted quantities (EQ):</b>	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
<b>UN "Model Regulation":</b>	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL), ISOPROPNOL (ISOPROPYL ALCOHOL)), 4.1, II

**SECTION 15: Regulatory Information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Directive 2012/18/EU****Named dangerous substances - ANNEX I:** None of the ingredients are listed.**National regulations****Information about limitation of use:**

Employment restrictions concerning young persons must be observed.

**Water hazard class:** Water hazard Class 1 (DE) (Self-assessment): Slightly hazardous for water.

<b>Substances of very high concern (SVHC) according to REACH, Article 57</b>
None of the ingredients are listed under the Regulations

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Continued on Page 9)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing Date: EN - 01.01.2022

Revision: v2.1 - 01.01.2022

**Trade name: Adhesive Remover (DEK Brand)**

(Continued from Page 8)

**SECTION 16: Other Information**

Further restrictions may apply in certain countries, End Users must review all local and national restrictions & safety advisory notices relating to the active ingredients shown in Section 3 before using this product.

The data contained in this document is based on the best & current knowledge of ASM AS.

However, the data **shall not** constitute a guarantee for any specific product features or establish any legally valid contractual relationship.

**Relevant phrases**

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H336 May cause drowsiness or dizziness.

**Department issuing data specification sheet:**

This Safety Data Sheet has been authored / translated by ASM Assembly Systems (ASMAS) & in part with:

DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany,  
© 01 / 2022 – ASMAS / DEKRA Assurance Services GmbH.

Changing this document is subject to written approval from:  
ASM Assembly Systems & DEKRA Assurance Services GmbH.

**Abbreviations and Acronyms:**

ADR: Accord européen sur le transport des marchandises Dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bio-accumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bio-accumulative

Flam. Liq. 3: Flammable liquids – Category 3

Flam. Sol. 1: Flammable solids – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

WEL: Workplace Exposure Limits –based on data as defined within Great Britain (GB) only

**Revision History:**

v 2.0 – Updated to new SDS template - June 2020

v 2.1 – Updated Emergency Contact Details – Sections 1.3 & 1.4 – Jan 2022